



MORI SEIKI

NZ 1500 T2Y

Page 1 of 3



 GALLERY



 Send Request



 www.stiens.de



PRODUCT INFO

General Information

Stock Number	1039-9309
Machine Type	CNC Turning- and Milling Center
Manufacturer	MORI SEIKI
Type	NZ 1500 T2Y
Year of Manufacture	2010
Control	MSX 701
Location	D-59302 Oelde
Country of Origin	Japan
Delivery Time	immediately
Freight Basis	ex site
Additional Information	CNC - Turning- and MillingCenter MORI SEIKI - NZ 1500 T2Y - Main- and Subspindle - 2 turrets, up and below - Y-Axis - 2x 16 driven tool positions

MORI SEIKI

NZ 1500 T2Y

Page 2 of 3

PRODUCT INFO

Technical Details

turning diameter	max. 320 mm
turning length	810 mm
control	MSX 701
Main spindle:	
power capacity - main spindle	22 / 18 kW
Subspindel:	
Number of revolutions	max. 6.000 U/min
power capacity - Sub spindle	22 / 18 kW
max. usable bar diameter	52 mm
spindle nose	JIS A2-5
Turret 1:	
Y - Axis	110 (+65 / -45) mm
Turret 2:	
number of toolpositions	16 pos.
Number of driven toolpositions	16 pos.
Spindle speed - driven tools	max. 6.000 min -1
power capacity - driven tools	7,5 / 5,5 kW
axis stroke:	
x-travel	1/2: 210 mm
y-travel	110 mm
z-travel	1/2: 810 mm
b-axis	900 mm
total power requirement	86 kVA
weight of the machine ca.	8,1 t
dimensions of the machine ca.	8,0 x 3,5 x 2,8 m

MORI SEIKI

NZ 1500 T2Y

Page 3 of 3

PRODUCT INFO

Accessories

Documents	
Chip conveyor	
Coolantsystem	
bar feeder interface	
parts catcher	
triple signal light	
C-Axis	0,001 °
Y-axis	
Subspindle	
Turret	2x
live tool holders	7x Axial
div. tool holder	12 x
bar feeder	Master 880 Verso IEMCA
collet chuck	140 mm
tool setter	